

SALIQO Safe[™]

Product Catalogue

SALIQO Safe[™] is a line born out of necessity and built with purpose. It exists to protect the builders, the operators, and the people in the field who make progress possible. Every piece of gear is a statement of trust, engineered by SALIQO, worn by the brave.

"Built to protect the people who build the future."

Company Profile

SALIQO Safe™ /sa-LEE-koh/ is the dedicated personal protective equipment (PPE) division of the SALIQO™ industrial brand. We specialize in the design, engineering, and global distribution of high-performance safety gear for workers in construction, energy, manufacturing, logistics, and other demanding sectors.

Mission

To make quality protection accessible. **At SALIQO Safe™**, we believe that every worker, regardless of background or income, deserves access to premium, durable, and certified safety equipment. Our dream is simple yet profound: a future where no one has to choose between safety and affordability.

What We Offer

From safety helmets and steel-toe footwear to high-visibility clothing and respiratory protection, each product in the **SALIQO Safe™** line is rigorously engineered to meet global compliance standards, including ISO, EN, and ANSI certifications. We combine industrial-grade materials, ergonomic designs, and thoughtful innovation to ensure gear that's built to perform under pressure, and built to last.

What Sets Us Apart

- **Global-Standard Compliance:** Every product meets or exceeds international safety certifications.
- **Precision Engineering:** Designed for durability, flexibility, and extreme conditions.
- **Affordable Quality:** Leveraging streamlined capabilities to deliver lower costs without sacrificing excellence.
- **Scalable Supply:** Trusted by enterprises and governments for reliable mass production and delivery.
- **Worker-First Philosophy:** We are committed to protecting the people who build the world.



PRODUCT CATALOGUE

SALIQO Safe™

Table of Contents

CONVENTIONAL SAFETY SHOES	02
WORK BOOTS & SHOES	09
NEW DESIGN SAFETY SHOES	15
SAFETY HARNESS	25
CARGO STRAPS	29
RATCHET BUCKLE	32
HOOK	37
LIFTING SLING	42
OTHER PRODUCTS	50
BODY PROTECTION	51
EAR PROTECTION	51
EYE PROTECTION	52
FACE PROTECTION	53
HAND PROTECTION	53
HEAD PROTECTION	54
LEG PROTECTION	55
MISCELLANEOUS	55
WHY CHOOSE US	56

SALIQO Safe™

CONVENTIONAL SAFETY SHOES



CONVENTIONAL SAFETY SHOES



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Embossed Cowhide, PU Solid Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Plastic Head + Kevlar, Microfiber leather, Ultra Light MD Outsole with Anti Slip Rubber Patch

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Breathable

Material Steel Head + Kevlar, Microfiber Leather, Upper, Rubber Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Kevlar, Microfiber Leather, Upper, Rubber Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, Cow Tendon Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head + Iron Bottom, Two Layer Cowhide, PU Solid Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head + Iron Bottom, Two Layer Cowhide, PU Solid Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Insulation 6KV

Material National St+Ard Plastic Head + Kevlar, Two-Layer Cowhide, Rubber Bottom

Size EUR 36-46

CONVENTIONAL SAFETY SHOES



Function Anti-Smash, Anti Puncture, Insulation 6KV
Material Plastic Head + Kevlar, Microfiber Leather, Double Density PU Injection Bottom + Links Peak New Material
Size EUR 36-46



Function Anti-Smash, Anti Puncture, Insulation 6KV
Material Plastic Head + Kevlar, Microfiber Leather, Double Density PU Injection Bottom + Links Peak New Material
Size EUR 36-46



Function Anti-Smash, Anti Puncture, Anti Static
Material European St+Ard Steel Head Steel Plate, Two-Layer Cowhide, Double Density PU Injection Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture, Anti Static
Material European St+Ard Steel Head Steel Plate, Two-Layer Cowhide, Double Density PU Injection Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, Two Layer Cowhide, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, PU Leather, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture, Anti Static
Material European St+Ard Steel Head Steel Plate, Two-Layer Cowhide, Double Density PU Injection Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, Two Layer Cowhide, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, PU Leather, Rubber Bottom
Size EUR 36-46

CONVENTIONAL SAFETY SHOES



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, PU Leather, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, PU Leather, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, PU Leather, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, PU Leather, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, PU Leather, Rubber Bottom
Size EUR 36-46



Function Anti-Smash, Insulation 6KV
Material Plastic Head, Two Layer Embossed Cowhide, Double Density PU Injection Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, Two Layer Cowhide, Double Density PU Injection Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, Two Layer Cowhide, Double Density PU Injection Bottom
Size EUR 36-46



Function Anti-Smash, Anti Puncture
Material Iron Head + Iron Bottom, Two Layer Cowhide, Double Density PU Injection Bottom
Size EUR 36-46

CONVENTIONAL SAFETY SHOES



Function Anti-Smash, Anti Puncture, Breathable

Material St+Ard Steel Head + Kevlar, Flying Mesh, Rubber Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Anti-Static

Material European St+Ard Steel Head + Steel Bottom, Frosted Cowhide, Double-Density PU Injection Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head + Iron Bottom,, Oxford Cloth, Solid Injection Molded PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head + Iron Bottom, Oxford Cloth, Solid Injection Molded PU Bottom

Size EUR 36-46



Function High Temperature Resistant, Anti-Smash, Anti-Puncture, Breathable

Material Steel Head + Steel Bottom, Top Layer Of Cowhide, High Temperature Resistant Rubber Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Pigskin Upper, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, PU Bottom

Size EUR 36-46

CONVENTIONAL SAFETY SHOES



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head + Iron Bottom, Flying Mesh, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture,

Material Iron Head + Iron Bottom, Flying Mesh, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head + Iron Bottom, Flying Mesh, PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material St + Ard Steel Head + Kevlar, Flying Mesh, Rubber Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Breathable

Material St + Ard Steel Head + Kevlar, Flying Mesh, Rubber Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Breathable

Material St + Ard Steel Head + Kevlar, Flying Mesh, Ultra-Light MD Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Breathable

Material St + Ard Steel Head + Kevlar, Flying Mesh, Ultra-Light MD Bottom

Size EUR 36-46

CONVENTIONAL SAFETY SHOES



Function Anti-Smash, Anti Puncture, Breathable

Material St+Ard Steel Head + Kevlar, Flying Mesh, Ultra-Light MD Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Breathable

Material St+Ard Steel Head + Kevlar, Flying Mesh, Ultra-Light MD Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Widened Steel Head+ Kevlar, Flying Mesh, Two-Color Solid Injection PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Widened Steel Head+ Kevlar, Flying Mesh, Two-Color Solid Injection PU Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Anti-Static

Material St+Ard Steel Head + Kevlar, Suede Leather + Breathable Mesh, Double-Density PU Injection Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture, Anti-Static

Material St+Ard Steel Head + Kevlar, Suede Leather + Breathable Mesh, Double-Density PU Injection Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head+ Iron Bottom, Two-Layer Cowhide, Double-Density PU Injection Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Iron Head+ Iron Bottom, Two-Layer Cowhide, Double-Density PU Injection Bottom

Size EUR 36-46



Function Anti-Smash, Anti Puncture

Material Steel Head + Steel Bottom, Cowhide, PU Bottom

Size EUR 36-46

**WORK BOOTS
AND SHOES**



WORK BOOTS AND SHOES



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide
Steel Head + Steel Bottom +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide
Steel Head + Steel Bottom +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide
Steel Head + Steel Bottom +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide + Breathable Mesh
Steel Head + Kevlar +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide + Breathable Mesh
Steel Head + Kevlar +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide + Breathable Mesh
Steel Head + Kevlar +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide
Steel Head + Kevlar +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide
Steel Head + Kevlar +PU Injection

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide
Steel Head + Kevlar +PU Injection

Size EUR 36-46

WORK BOOTS AND SHOES



Function Hiking Boots, Combat Boots, Desert Boots

Material Top Layer Of Cowhide + Breathable Mesh Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Hiking Boots, Combat Boots, Desert Boots

Material Top Layer Of Cowhide + Breathable Mesh Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Hiking Boots, Combat Boots, Desert Boots

Material Top Layer Of Cowhide + Breathable Mesh Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Hiking Boots, Combat Boots, Desert Boots

Material Top Layer Of Cowhide + Breathable Mesh Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Hiking Boots, Combat Boots, Desert Boots

Material Top Layer Of Cowhide + Breathable Mesh Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Hiking Boots, Combat Boots, Desert Boots

Material Top Layer Of Cowhide + Breathable Mesh Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Hiking Boots, Combat Boots, Desert Boots

Material Top Layer Of Cowhide + Breathable Mesh Steel Head + Steel Bottom + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Combined Beef Tendon Bottom

Size EUR 36-46

WORK BOOTS AND SHOES



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Combined Beef Tendon Bottom

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Combined Beef Tendon Bottom

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Combined Beef Tendon Bottom

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Combined Beef Tendon Bottom

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Ultralight

Material Microfiber Leather Plastic Head + Kevlar + EVA

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Ultralight

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Ultralight

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Top Layer Of Cowhide Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46

WORK BOOTS AND SHOES



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Flying Mesh Plastic Steel Head + Kevlar + EVA

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Flying Mesh Plastic Steel Head + Kevlar + EVA

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Flying Mesh Plastic Steel Head + Kevlar + EVA

Size EUR 36-46

WORK BOOTS AND SHOES



Function Anti-Smash, Anti-Stab

Material Microfiber Leather
Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather
Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather
Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather
Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather
Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Flying Mesh
Plastic Steel Head + Kevlar + EVA

Size EUR 36-46

**NEW DESIGN
SAFETY SHOES**



**NEW DESIGN
SAFETY SHOES**



Function Anti-Smash, Anti-Stab
Material Flying Mesh+ Super Fiber
 Steel Head+Popcorn+TPU Bottom+
 Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip
Material Breathable Flying Mesh,
 Steel Haad+ PU Solid Bottom+Kevlar
Size EUR 36-45



Function Anti-Smash, Anti-Stab, Anti Slip
Material Flying Mesh Steel Head+
 TPU Air Cusion Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip
Material Flying Mesh Steel Head+
 TPU Air Cusion Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip
Material Breathable Flying Mesh,
 Steel Haad+ PU Solid Bottom+Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip
Material Flying Mesh Steel Head+
 TPU Air Cusion Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip
Material Flying Mesh Steel Head + Popcorn+
 Ultra-Light MD Bottom + Kevlar
Size EUR 36-48



Function Anti-Smash, Anti-Stab, Anti Slip
Material Flying Mesh Steel Head+
 TPU Air Cusion Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab
Material Flying Mesh+ Super Fiber
 Steel Head+ Ultra-Light EVA Bottom
 +Kevlar
Size EUR 36-46

**NEW DESIGN
SAFETY SHOES**



Function Anti-Smash, Anti-Stab

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-45



Function Anti-Smash, Anti-Stab, Anti Slip

Material Microfiber Leather Steel Head + Kevlar + Rubber Sole

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip

Material PU Steel Head+ PU Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip

Material Flying Mesh Steel Head+ Rubber Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip

Material Flying Mesh + Turn Buckle Steel Head+ TPU Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti Slip

Material Flying Mesh Steel Head + Ultra-Light EVA Bottom + Kevlar

Size EUR 36-45



Function Anti-Smash, Anti-Stab

Material TPU Steel Head+ Popcorn+ TPU+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Nubuck Leather Steel Head+ Solid Bottom+ Kevlar

Size EUR 36-47

NEW DESIGN SAFETY SHOES



Function Anti-Smash, Anti-Stab, Anti Fire, Anti-Scalding
Material Nubuck Leather
 Steel Head+ Solid Bottom+ Kevlar
Size EUR 36-47



Function Anti-Smash, Anti-Stab, Insulation
Material TPU+Flying Mesh National Standard Plastic Head+ Rubber Bottom+ Kevlar
Size EUR 36-45



Function Anti-Smash, Anti-Stab
Material TPU+Flying Mesh National Standard Plastic Head+ Rubber Bottom+ Kevlar
Size EUR 36-48



Function Anti-Smash, Anti-Stab,
Material TPU+ Microfiber +Mesh Plastic Steel Head +Solid Bottom Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Flying Mesh Plastic Steel Head+ PU PU Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Breathable Mesh+ Tow-Layer Matte Cow Steel Head+ Steel Bottom+ Solid Bottom
Size EUR 36-46



Function Anti-Smash, Anti-Stab
Material TPU+ Mesh Steel Head+ Rubber Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab
Material Microfiber Plastic Head +Rubber Bottom+ Kevlar
Size EUR 36-47



Function Anti-Smash, Anti-Stab
Material Microfiber Plastic Head +Rubber Bottom+ Kevlar
Size EUR 36-47

**NEW DESIGN
SAFETY SHOES**



Function Anti-Smash, Anti-Stab
Material Breathable Mesh+ Rotating Bottom
 Steel Head+Rubber Bottom+Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Breathable Mesh+ Rotating Bottom
 Steel Head+Rubber Bottom+Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Insulation
Material Two-Layer Matte Cowhide+ Mesh
 National Standard Plastic Head+ Rubber
 Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Breathable Mesh
 Steel Head+ TPU Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Insulation, Anti-Slip
Material Breathable Mesh
 Steel Head+ TPU Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Breathable Mesh
 Steel Head+ TPU Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Insulation,
 Anti-Slip
Material Breathable Mesh
 Plastic Head+PU Solid Bottom+Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Insulation, Anti-Slip
Material Breathable Mesh
 Plastic Head+PU Solid Bottom+Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab
Material Suede Cowhide
 Steel Head+ PU Bottom+ Steel Bottom
Size EUR 36-46

**NEW DESIGN
SAFETY SHOES**



Function Anti-Smash, Anti-Stab
Material TPU+ Breathable Mesh
 Steel Head+ Rubber Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material TPU+ Breathable Mesh
 Steel Head+ Rubber Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Suede+ Wire Mesh
 Steel Head+ Rubber Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Suede Leather+Mesh
 Steel Head+ Rubber Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab,
Material Breathable Mesh National Standard
 Plastic Head+ Rubber Bottom+ Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab, Anti-Slip
Material Microfiber Leather National Standard
 Plastic Head+Rubber Bottom+ Kevlar
Size EUR 37-46



Function Anti-Smash, Anti-Stab
Material Flying Mesh Steel Head+Ultra-Light Air
 Cushion Bottom +Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab
Material Flying Mesh Steel Head+Ultra-Light MD
 Outsole+Kevlar
Size EUR 36-46



Function Anti-Smash, Anti-Stab
Material Flying Mesh Steel Head+Ultra-Light EVA
 Bottom +Kevlar
Size EUR 36-46

**NEW DESIGN
SAFETY SHOES**



Function Anti-Smash, Anti-Stab

Material Flying Mesh
Steel Head+ Rubber Bottom +Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Flying Mesh
Steel Head+ Rubber Bottom +Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Insulation

Material Flying Mesh Steel Head+
Beef Tendon Bottom +Kevlar

Size EUR 36-48



Function Anti-Smash, Anti-Stab

Material Flying Mesh
Steel Head+ Rubber Bottom +Kevlar

Size EUR 36-50



Function Anti-Smash, Anti-Stab

Material Flying Mesh
Steel Head+ Rubber Bottom +Kevlar

Size EUR 36-48



Function Anti-Smash, Anti-Stab,

Material Flying Mesh
Steel Head+ Rubber Bottom +Kevlar

Size EUR 36-48



Function Anti-Smash, Anti-Stab

Material Flying Mesh Steel Head+ Ultra-Light
Rubber Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Flying Mesh Steel Head+ Popcorn PU
Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Flying Mesh Steel Head+ Ultra-Light
Rubber Bottom+ Kevlar

Size EUR 36-48

**NEW DESIGN
SAFETY SHOES**



Function Anti-Smash, Anti-Stab

Material Suede Cowhide Stitching Breathable Mesh Steel Head + PU Bottom+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Flying Mesh Steel Head+ Beef Tendon Bottom +Kevlar

Size EUR 36-48



Function Anti-Smash, Anti-Stab,

Material Pigskin Upper Steel Head+ Beef Tendon Bottom +Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Breathable Mesh Steel Head+ TPU Bottom+ Kevlar

Size EUR 38-46



Function Anti-Smash, Anti-Stab, Insulation, 6kv

Material Suede Cowhide Stitching Breathable Mesh Insulation National Standard Plastic Head + PU Bottom+Kevlar

Size EUR 35-46



Function Anti-Smash, Anti-Stab,

Material Suede Cowhide Iron Head+ PU Bottom+Iron Bottom

Size EUR 36-46



Function Anti-Smash, Anti-Stab, Insulation, 6kv

Material Suede Cowhide Stitching Breathable Mesh Steel Head + Rubber Bottom+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stabon, Anti-Slip

Material Microfiber Leather Steel Head+ Rubber Bottom+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Static

Material Flying Mesh Steel Head= Rubber Bottom+Kevlar

Size EUR 36-46

NEW DESIGN SAFETY SHOES

SALIQO Safe™



Function Anti-Smash, Anti-Stab

Material Pigskin Upper Steel Head+
EVA Bottom+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Flying Mesh Steel Head+ Rubber
Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Microfiber Leather
Steel Head+ Rubber Bottom+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Flying Mesh
Steel Head+ PU Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Flying Mesh
Steel Head+ PU Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Flying Mesh
Steel Head+ PU Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Flying Mesh
Steel Head+ PU Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Microfiber Leather
Steel Head+ Rubber Bottom+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab

Material Pigskin Upper
Steel Head+EVA Bottom+Kevlar

Size EUR 36-46

**NEW DESIGN
SAFETY SHOES**

SALIQO Safe™



Function Anti-Smash, Anti-Stab

Material Flying Mesh
Steel Head+ Rubber Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Flying Mesh
Steel Head+ Rubber Bottom+ Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Suede Cowhide
Steel Head+ PU Solid Bottom+Kevlar

Size EUR 36-46



Function Anti-Smash, Anti-Stab,

Material Cowhide Upper
Steel Head+ PU Solid Bottom+Kevlar

Size EUR 36-46


SALIQO Safe™

**SAFETY
HARNESS**



SAFETY HARNESS

Safety harnesses have different models according to different specific use environments, which can be seen in the structure. There are many different types depending on the actual use, but most of them are basically used in the same way. Safety harnesses comply with GB6095-2009 and EN361



NO.1



NO.2



NO.3



NO.4



NO.5


To ensure safety and comfort, attention should be paid to:

1. The tightness of the safety harness should be moderate and should not be too tight or too loose.
2. Before each use, be sure to check each component of the safety harness to ensure it is in optimal working condition.
3. It is recommended that the safety harness should not be worn by different people to avoid readjusting it to suit individual use every time.
4. If safety harness shows signs of wear, tearing, or any condition that could jeopardize safety, stop using it immediately.
5. Safety harnesses must be inspected every year.
6. When cleaning the safety harness, you can use a suitable detergent. The wet safety harness needs to be dried naturally and avoid direct exposure to fire or sunlight.

SAFETY HARNESS

SALIQO Safe™

SAFETY HARNESS



ZQSB001



ZQSB002



ZQSB003



ZQSB004

SALIQO Safe™

SAFETY HARNESS



2504



ZQSB006



ZQSB013



ZQSB007



ZQSB008



ZQSB014



ZQSB009



ZQSB010



ZQSB015



ZQSB011



ZQSB012

**CARGO
STRAPS**



RATCHET STRAPS

Ratchet Straps are mainly used for firm fixation during transportation, handling, loading and warehousing of goods. These straps provide a reliable locking function that is not easy to loosen, ensuring safety, and are easy to operate without damaging the surface of the item. According to different types of hooks, they are suitable for various environments and occasions.

Ratchet Straps are manufactured in strict accordance with the EN12195-2



ZQ2501



ZQ2502



ZQ2503



ZQ3801



ZQ3802-1



ZQ3802-2

CARGO STRAPS



Refined Packaging 1



Refined Packaging 2



Refined Packaging 3



Refined Packaging 4



Refined Packaging 5



Refined Packaging 6




Refined Packaging 7


RATCHET BUCKLE




Ratchet buckles are fastening tools used for cargo transportation, handling loading or storage. Ratchet buckles will not fall off after being locked, providing safe and reliable fixation. Ratchet buckles are also light to use and simple to operate, and can effectively protect goods from damage. Ratchet buckles are manufactured in a strict accordance with the EN12195-2.




1001



2501




2502




2503


CARGO STRAPS




2504




2505




2506




2507




2508




2509




2702



2703




2704




2705


CARGO STRAPS




2706




3201




3202




3801




3802




3803




3804



3805




3806




3807

SALIQO Safe™

CARGO STRAPS




3808




3809




3810




5001




5002




5003





5004



5005




5006




5007



CARGO STRAPS



5008



5009



5010




5011



5012



5013




7501

HOOKS



Hooks can be used as connecting tools in various operations such as lifting, bundling, dragging and fixing. Hooks have various types and a wide range of rated load capacities, making them suitable for different hoisting tasks.



DH2501



DH2502




DH3802




DH3805


CARGO STRAPS




DH5005




DH5007




OH003




OH005




OH009




SH2501




DH2501



DH2502




5DH2503




DH2504

SALIQO Safe™


CARGO STRAPS




DH3801




DH3802




DH3803




DH3805




DH5001




DH5002




DH5003



DH5004




DH5005




DH5007


CARGO STRAPS



JH3801




JH3802



OH003



OH005



OH009




SH2501

CARGO STRAPS


SCENARIO EXAMPLE



**LIFTING
SLING**





PRODUCTION AND CERTIFICATION




LIFTING SLING

SCENARIO EXAMPLE



EYE-EYE WEBBING SLING




The eye-eye webbing sling has two rings and is made of high-strength polyester cloth straps and flat webbing for excellent durability and load-bearing capacity. It can be used in conjunction with sling devices such as hooks and rings, and is suitable for lifting goods of various shapes. This sling has the characteristics of softness and high strength. By choosing different sizes and capacities, eye-eye webbing slings can accommodate cargo of different weights and sizes.

Eye-eye webbing slings comply with EN1492-1, AS1353, JB/T8521.1 and CE GS.

Max.SWL=Mode Coefficient P×Working Load Limit Max.SWL of lifting method																
Code	Color	Single Max,Working Load Limit						2-Legs Max,Working Load Limit				Approx Width (mm)			Min Length (m)	Max Length (m)
		Upright	Choked	β				Upright 45°	Choked 45°	Upright 45°-60°	Choked 45°-60°					
				0°-7°	7°-45°	45-60°	45°									
		1.0	0.8	2.0	1.4	1.0	0.7	1.4	1.12	1.0	0.8	5:1	6:1	7:1		
EW-B-10	Purple	1000	800	2000	1400	1000	700	1400	1120	1000	800	25	25	30	1	100
EW-B-20	Green	2000	1600	4000	2800	2000	1400	2800	2240	2000	1600	50	50	60	1	100
EW-B-30	Yellow	3000	2400	6000	4200	3000	2100	4200	3360	3000	2400	75	75	90	1	100
EW-B-40	Gray	4000	3200	8000	5600	4000	2800	5600	4480	4000	3200	100	100	120	1	100
EW-B-50	Red	5000	4000	10000	7000	5000	3500	7000	5600	5000	4000	125	125	150	1	100
EW-B-60	Brown	6000	4800	12000	8400	6000	4200	8400	6720	6000	4800	150	150	180	1	100
EW-B-80	Blue	8000	6400	16000	11200	8000	5600	11200	8960	8000	6400	200	200	240	1	100
EW-B-100	Orange	10000	8000	20000	14000	10000	7000	14000	11200	10000	8000	250	250	300	1	100
EW-B-120	Orange	12000	9600	24000	16800	12000	8400	16800	13440	12000	9600	300	300	300	3	100
EW-B-150	Blue	15000	12000	40000	28000	15000	14000	28000	22400	15000	12000	200	200	240	3	100
EW-B-200	Orange	20000	16000	60000	42000	20000	21000	42000	33600	20000	16000	250	250	300	3	100
EW-B-250	Orange	25000	20000	50000	35000	25000	17500	35000	28000	25000	20000	300	300	300	3	100
EW-B-300	Orange	30000	24000	60000	42000	30000	21000	42000	33600	30000	24000	300	300	300	3	100
EW-B-400	Orange	40000	32000	80000	56000	40000	28000	56000	44800	40000	32000				3	100
EW-B-500	Orange	50000	40000	100000	70000	50000	35000	70000	56000	50000	40000				3	100

ENDLESS WEBBING SLING



Endless webbing slings are very light, easy to use, will not cause damage to the surface of the lifted object, and can ensure a smooth and safe lifting process. The sling has high strength and the tonnage can be identified by different colors, which improve labor efficiency and reduce costs. In addition, these slings have corrosion resistance and excellent wear resistance, and have a wide range of applications. Endless webbing slings can be used in various lifting places such as ports, steel, and machinery.

Endless webbing slings comply with EN1492-1, JB/T8521.1 and CE GS.

Code	Color	Single Max, Working Load Limit						2-Legs Max, Working Load Limit				Approx Width (mm)			Min Length (m)	Max Length (m)
		Upright	Choked	β				Upright 45°	Choked 45°	Upright 45°-60°	Choked 45°-60°					
				0°-7°	7°-45°	45-60°	45°									
		1.0	0.8	2.0	1.4	1.0	0.7	1.4	1.12	1.0	0.8	5:1	6:1	7:1		
EW-A-10	Purple	1000	800	2000	1400	1000	700	1400	1120	1000	800	25	25	30	1	100
EW-A-20	Green	2000	1600	4000	2800	2000	1400	2800	2240	2000	1600	50	50	60	1	100
EW-A-30	Yellow	3000	2400	6000	4200	3000	2100	4200	3360	3000	2400	75	75	90	1	100
EW-A-40	Gray	4000	3200	8000	5600	4000	2800	5600	4480	4000	3200	100	100	120	1	100
EW-A-50	Red	5000	4000	10000	7000	5000	3500	7000	5600	5000	4000	125	125	150	1	100
EW-A-60	Brown	6000	4800	12000	8400	6000	4200	8400	6720	6000	4800	150	150	180	1	100
EW-A-80	Blue	8000	6400	16000	11200	8000	5600	11200	8960	8000	6400	200	200	240	1	100
EW-A-100	Orange	10000	8000	20000	14000	10000	7000	14000	11200	10000	8000	250	250	300	1	100
EW-A-120	Orange	12000	9600	24000	16800	12000	8400	16800	13440	12000	9600	300	300	300	3	100
EW-A-150	Blue	15000	12000	40000	28000	15000	14000	28000	22400	15000	12000	200	200	240	3	100
EW-A-200	Orange	20000	16000	60000	42000	20000	21000	42000	33600	20000	16000	250	250	300	3	100
EW-A-250	Orange	25000	20000	50000	35000	25000	17500	35000	28000	25000	20000	300	300	300	3	100
EW-A-300	Orange	30000	24000	60000	42000	30000	21000	42000	33600	30000	24000	300	300	300	3	100
EW-A-400	Orange	40000	32000	80000	56000	40000	28000	56000	44800	40000	32000				3	100
EW-A-500	Orange	50000	40000	100000	70000	50000	35000	70000	56000	50000	40000				3	100

LIFTING SLING

ENDLESS ROUND SLING

Endless round sling is used for all-round lifting of objects, even for items that are easily damaged. This sling has high strength, can effectively protect the surface of objects, is both light and soft, and can be used in various combinations.

Endless round slings comply with EN1492-2, AS4497.1-JB/T8521.2, CE AND GS.



Max.SWL=Mode Coefficient P×Working Load Limit Max.SWL of lifting method









Code	Color	Single Max,Working Load Limit						2-Legs Max,Working Load Limit				Approx Width (mm)	Min Length (m)	Max Length (m)
		Upright	Choked	β				Upright 45°	Choked 45°	Upright 45°-60°	Choked 45°-60°			
				0°-7°	7°-45°	45-60°	45°							
		1.0	0.8	2.0	1.4	1.0	0.7	1.4	1.12	1.0	0.8			
ER-A-10	Purple	1000	800	2000	1400	1000	700	1400	1120	1000	800	40	1	100
ER-A-20	Green	2000	1600	4000	2800	2000	1400	2800	2240	2000	1600	50	1	100
ER-A-30	Yellow	3000	2400	6000	4200	3000	2100	4200	3360	3000	2400	60	1	100
ER-A-40	Gray	4000	3200	8000	5600	4000	2800	5600	4480	4000	3200	70	1	100
ER-A-50	Red	5000	4000	10000	7000	5000	3500	7000	5600	5000	4000	75	1	100
ER-A-60	Blown	6000	4800	12000	8400	6000	4200	8400	6720	6000	4800	80	1	100
ER-A-80	Orange	8000	6400	16000	11200	8000	5600	11200	8960	8000	6400	90	1	100
ER-A-100	Orange	10000	8000	20000	14000	10000	7000	14000	11200	10000	8000	100	1	100
ER-A-120	Orange	12000	9600	24000	16800	12000	8400	16800	13440	12000	9600	110	1	100
ER-A-150	Orange	15000	12000	40000	28000	15000	14000	28000	22400	15000	12000	150	1	100
ER-A-200	Orange	20000	16000	60000	42000	20000	21000	42000	33600	20000	16000	180	1	100
ER-A-250	Orange	25000	20000	50000	35000	25000	17500	35000	28000	25000	20000	200	1	100
ER-A-300	Orange	30000	24000	60000	42000	30000	21000	42000	33600	30000	24000	200	1	100
ER-A-400	Orange	40000	32000	80000	56000	40000	28000	56000	44800	40000	32000	200	1	100
ER-A-500	Orange	50000	40000	100000	70000	50000	35000	70000	56000	50000	40000	220	1	100
ER-A-600	Orange	60000	48000	120000	84000	60000	42000	84000	67200	60000	48000	220	1	100
ER-A-800	Orange	80000	64000	160000	112000	80000	56000	112000	89600	80000	64000	260	1	100
ER-A-1000	Orange	100000	80000	200000	140000	100000	70000	140000	112000	100000	80000	290	1	100

ENDLESS ROUND SLING

Eye-eye round sling is especially suitable for hoisting ring-shaped objects. The outer surface is fine and will not cause damage to fragile objects. Lightweight and soft, it is easy to use in small spaces.



Eye-eye round slings comply with EN1492-2+A1:2008 and JB/T8521-2007.

Max.SWL-Mode Coefficient P×Working Load Limit Max.SWL of lifting method														
Code	Color	Single Max,Working Load Limit						2-Legs Max,Working Load Limit				Approx Width (mm)	Min Length (m)	Max Length (m)
		Upright	Choked	β				Upright 45°	Choked 45°	Upright 45°-60°	Choked 45°-60°			
				0°-7°	7°-45°	45-60°	45°							
														
ER-B-10	Purple	1000	800	2000	1400	1000	700	1400	1120	1000	800	50	1	100
ER-B-20	Green	2000	1600	4000	2800	2000	1400	2800	2240	2000	1600	60	1	100
ER-B-30	Yellow	3000	2400	6000	4200	3000	2100	4200	3360	3000	2400	70	1	100
ER-B-40	Gray	4000	3200	8000	5600	4000	2800	5600	4480	4000	3200	75	1	100
ER-B-50	Red	5000	4000	10000	7000	5000	3500	7000	5600	5000	4000	80	1	100
ER-B-60	Blown	6000	4800	12000	8400	6000	4200	8400	6720	6000	4800	90	1	100
ER-B-80	Orange	8000	6400	16000	11200	8000	5600	11200	8960	8000	6400	100	1	100
ER-B-100	Orange	10000	8000	20000	14000	10000	7000	14000	11200	10000	8000	110	1	100
ER-B-120	Orange	12000	9600	24000	16800	12000	8400	16800	13440	12000	9600	125	1	100
ER-B-150	Orange	15000	12000	40000	28000	15000	14000	28000	22400	15000	12000	150	1	100
ER-B-200	Orange	20000	16000	60000	42000	20000	21000	42000	33600	20000	16000	180	1	100
ER-B-250	Orange	25000	20000	50000	35000	25000	17500	35000	28000	25000	20000	200	1	100
ER-B-300	Orange	30000	24000	60000	42000	30000	21000	42000	33600	30000	24000	220	1	100
ER-B-400	Orange	40000	32000	80000	56000	40000	28000	56000	44800	40000	32000	250	1	100
ER-B-500	Orange	50000	40000	100000	70000	50000	35000	70000	56000	50000	40000	270	1	100
ER-B-600	Orange	60000	48000	120000	84000	60000	42000	84000	67200	60000	48000	280	1	100
ER-B-800	Orange	80000	64000	160000	112000	80000	56000	112000	89600	80000	64000	300	1	100
ER-B-1000	Orange	100000	80000	200000	140000	100000	70000	140000	112000	100000	80000	320	1	100

TOW STRAPS

Tow straps can solve the problem of a broken down, damaged or sunken car or jeep in the simplest way. The special design-galvanized flat hook is very easy to match the vehicle. Compared with steel wire ropes and chains, it is lighter and not prone to rust, rot or mildew, making it especially suitable for storage in the trunk of a car.

TYPE TB01

Art.No	Breaking Load (kg)	Approx Thickness (mm)	Approx Width (mm)	总体长度(m) Total Length
TS01-01	1000	2	25	4
TS01-015	1500	2	35	4
TS01-02	2000	2	50	4
TS01-03	3000	3	50	4



TYPE TB02

Art.No	Breaking Load (kg)	Approx Thickness (mm)	Approx Width (mm)	Total Length (m)
TS02-01	1000	2	25	4
TS02-015	1500	2	35	4
TS02-02	2000	2	50	4
TS02-03	3000	3	50	4



TYPE TB03

Art.No	Breaking Load (kg)	Approx Thickness (mm)	Approx Width (mm)	Total Length (m)
TS03-01	1000	2	25	4
TS03-015	1500	2	35	4
TS03-02	2000	2	50	4
TS03-03	3000	3	50	4



**OTHER
PRODUCTS**



OTHER PRODUCTS

BODY PROTECTION



EAR PROTECTION



**OTHER
PRODUCTS**

SALIQO Safe™



EYE PROTECTION



SALIQO Safe™

**OTHER
PRODUCTS**

FACE PROTECTION



HAND PROTECTION



**OTHER
PRODUCTS**



HEAD PROTECTION



**OTHER
PRODUCTS**

LEG PROTECTION



MISCELLANEOUS



**OTHER
PRODUCTS**

MISCELLANEOUS



WHY CHOOSE SALIQO Safe™ ?

WHAT WE CAN OFFER YOU

- **Affordable, Quality Products** – Reliable performance without the high cost.
- **Complete Product Line** – Solutions for power, industry, and infrastructure.
- **Reliable Supply Chain** – On-time delivery and consistent availability.
- **After-Sales Support** – Warranty, service, and quick response.
- **Marketing Assistance** – Promotions and materials to boost your sales.

WHAT YOU CAN BENEFIT FROM US

- **Higher Profit Margins** – Earn more with competitive pricing.
- **Trusted Brand Credibility** – Build trust with proven quality.
- **Efficient Operations** – Less downtime, fewer complaints.
- **Faster Growth** – Gain access to projects and new markets.
- **Confidence in Every Deal** – Transparent and reliable partnership.

WHAT MAKES US THE BEST CHOICE FOR YOU

- **Affordable Yet Reliable** – Quality meets value in every product.
- **Partner-First Mindset** – We grow together, not just sell.
- **Built for Local Needs** – Made to perform in Philippine conditions.
- **Proven Partner Advantage** – Strong support, solid margins.
- **Trust That Lasts** – We're built on integrity and results.



SALIQO Safe[™]

Product Catalogue

"Built to protect the people who build the future."

Designed in

